

## SAFETY DATA SHEET

# Beerline cleaner

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

*Trade name:* Beerline cleaner

*Product no.:* 61100CO PVH

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:* Cleaning product  
Restricted to professional users.

*Use descriptors (UK REACH):*

| Product category | Description  |
|------------------|--|
| PC 35            | Washing and Cleaning Products (including solvent based products) |

*Uses advised against :* Uses other than those identified are not recommended

### 1.3. Details of the supplier of the safety data sheet

*Company and address:* **Biovate Hygienics Ltd**  
Grafton House  
Pury Hill Business Park  
NN12 7LS Towcester  
United Kingdom  
[www.biovatehygienics.com](http://www.biovatehygienics.com)

*E-mail:* [sales@biovatehygienics.com](mailto:sales@biovatehygienics.com)

*Revision:* 19/06/2025

*SDS Version:* 1.0

### 1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 112 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

## SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

### 2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

## 2.2. Label elements

*Hazard pictogram(s):*



*Signal word:*

Danger

*Hazard statement(s):*

Causes severe skin burns and eye damage. (H314)

*Precautionary statement(s):*

*General:*

-

*Prevention:*

Do not breathe vapour/mist. (P260)  
Wear eye protection/protective gloves/protective clothing. (P280)

*Response:*

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. (P303+P361+P353)  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)  
Immediately call a POISON CENTER/doctor. (P310)

*Storage:*

-

*Disposal:*

Dispose of contents/container in accordance with local regulation. (P501)

*Hazardous substances:*

sodium hydroxide;caustic soda  
sodium hypochlorite, solution ... % Cl active

*Additional labelling:*

Active substance(s):  
sodium hypochlorite, solution ... % Cl active (2.17 g/100g)

*Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:*

< 5%  
· Chlorine-based bleaching Agents

## 2.3. Other hazards

*Additional warnings:*

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

| Product/substance                             | Identifiers   | % w/w | Classification  | Note |
|---|---|-------|---|------|
| sodium hydroxide;caustic soda                 | CAS No.: 1310-73-2<br>EC No.: 215-185-5<br>UK-REACH:<br>Index No.: 011-002-00-6 | 3-5%  | Met. Corr. 1, H290<br>Skin Corr. 1A, H314<br>Eye Dam. 1, H318 |      |
| sodium hypochlorite, solution ... % Cl active | CAS No.: 7681-52-9<br>EC No.: 231-668-3<br>UK-REACH:<br>Index No.: 017-011-00-1 | 1-3%  | EUH031<br>Skin Corr. 1B, H314<br>Aquatic Acute 1, H400 (M=1)  |      |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

-

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### *General information:*

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### *Inhalation:*

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.

#### *Skin contact:*

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

#### *Eye contact:*

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

#### *Ingestion:*

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

#### *Burns:*

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

IF exposed or concerned:

Get immediate medical advice/attention.

#### **Information to medic**

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid. Bring this safety data sheet or the label from this product.

### **SECTION 5: FIREFIGHTING MEASURES**

#### **5.1. Extinguishing media**

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### **5.2. Special hazards arising from the substance or mixture**

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds

Some metal oxides

Oxygen, hypochlorous acid, chlorine.

#### **5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: 2X

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

#### **6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

#### **6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of

solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

*Recommended storage material:* Keep only in original packaging.

*Storage conditions:* Dry, cool and well ventilated

*Incompatible materials:* Strong acids, alkali metals, metal powders, oxidizing materials and amines. Contact with metals can result in decomposition with the formation of oxygen.

Strong acids

Aluminium

Combustible materials

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

sodium hydroxide;caustic soda

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### DNEL

sodium hydroxide;caustic soda

| Duration:                                      | Route of exposure: | DNEL:               |
|--|--------------------|---------------------|
| Long term – Local effects - General population | Inhalation         | 1 mg/m <sup>3</sup> |
| Long term – Local effects - Workers            | Inhalation         | 1 mg/m <sup>3</sup> |

sodium hypochlorite, solution ... % Cl active

| Duration:                                      | Route of exposure: | DNEL:                  |
|--|--------------------|------------------------|
| Long term – Local effects - General population | Inhalation         | 1.55 mg/m <sup>3</sup> |

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

|  |            |                        |
|--|------------|------------------------|
| Long term – Local effects - Workers                | Inhalation | 1.55 mg/m <sup>3</sup> |
| Long term – Systemic effects - General population  | Inhalation | 1.55 mg/m <sup>3</sup> |
| Long term – Systemic effects - Workers             | Inhalation | 1.55 mg/m <sup>3</sup> |
| Short term – Local effects - General population    | Inhalation | 3.1 mg/m <sup>3</sup>  |
| Short term – Local effects - Workers               | Inhalation | 3.1 mg/m <sup>3</sup>  |
| Short term – Systemic effects - General population | Inhalation | 3.1 mg/m <sup>3</sup>  |
| Short term – Systemic effects - Workers            | Inhalation | 3.1 mg/m <sup>3</sup>  |
| Long term – Systemic effects - General population  | Oral       | 260 µg/kg bw/day       |

## PNEC

sodium hypochlorite, solution ... % Cl active

| Route of exposure:                | Duration of Exposure: | PNEC:      |
|-----------------------------------|-----------------------|------------|
| Freshwater                        |                       | 210 ng/L   |
| Intermittent release (freshwater) |                       | 260 ng/L   |
| Marine water                      |                       | 42 ng/L    |
| Predators                         |                       | 11.1 mg/kg |
| Sewage treatment plant            |                       | 4.69 mg/L  |

## 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

*General recommendations:*

Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:*

There are no exposure scenarios implemented for this product.

*Exposure limits:*

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

*Appropriate technical measures:*

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Ensure that eyewash stations and safety showers are located within easy reach. Apply standard precautions during use of the product. Avoid inhalation of vapours.

*Hygiene measures:*

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

*Measures to avoid environmental exposure:*

Keep damming materials near the workplace. If possible, collect spillage during work.


## Individual protection measures, such as personal protective equipment

*Generally:* Wash contaminated clothing before reuse.  
Use only UKCA marked protective equipment.


*Respiratory Equipment:*

| Type                                    | Class | Colour | Standards |  |
|---|-------|--------|-----------|--|
| Ensure there is sufficient ventilation. |       |        |           |  |


*Skin protection:*

| Recommended  | Type/Category | Standards |   |
|--|---------------|-----------|---|
| Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester. | -             | -         |  |

*Hand protection:*

| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards |  |
|----------|----------------------|--------------------------|-----------|--|
| Gloves   | -                    | > 360                    | EN374     |  |

*Eye protection:*

| Type           | Standards |   |
|----------------|-----------|---|
| Safety glasses | EN166     |  |

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

*Physical state:* Liquid  
*Colour:* Purple  
*Odour / Odour threshold:* Chlorine  
*pH:* >12.50  
*Density (g/cm<sup>3</sup>):* 1.056  
*Kinematic viscosity:* No data available.  
*Particle characteristics:* Does not apply to liquids.

### Phase changes

*Melting point/Freezing point (°C):* No data available.  
*Softening point/range (°C):* Does not apply to liquids.  
*Boiling point (°C):* No data available.  
*Vapour pressure:* No data available.

*Relative vapour density:* No data available.

*Decomposition temperature (°C):* No data available.

### Data on fire and explosion hazards

*Flash point (°C):* No data available.

*Flammability (°C):* No data available.

*Auto-ignition temperature (°C):* No data available.

*Lower and upper explosion limit (% v/v):* No data available.

### Solubility

*Solubility in water:* Completely soluble

*n-octanol/water coefficient (LogKow):* No data available.

*Solubility in fat (g/L):* No data available.

### 9.2. Other information

*Oxidizing properties:* No data available.

*Other physical and chemical parameters:* No data available.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Contact with acids liberates toxic gas.

Reacts violently with alkali metals, metal powders, oxidizing materials and amines.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

### 10.4. Conditions to avoid

Protect from sunlight. Do not expose to temperatures exceeding 20 °C/68 °F.

Extremes of temperature

Storage in the open is not recommended.

Sunlight

### 10.5. Incompatible materials

Strong acids, alkali metals, metal powders, oxidizing materials and amines. Contact with metals can result in decomposition with the formation of oxygen.

Strong acids

Aluminium

Combustible materials

### 10.6. Hazardous decomposition products

Oxygen, hypochlorous acid, chlorine.

Thermal decomposition may produce corrosive vapours.

## SECTION 11: TOXICOLOGICAL INFORMATION



### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law**

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **Skin corrosion/irritation**

Causes severe skin burns and eye damage.

#### **Serious eye damage/irritation**

Causes serious eye damage.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

#### **Carcinogenicity**

Based on available data, the classification criteria are not met.

#### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### **11.2. Information on other hazards**

#### **Long term effects**

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

#### **Endocrine disrupting properties**

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

#### **Other information**

None known.

---

## **SECTION 12: ECOLOGICAL INFORMATION**

---

### **12.1. Toxicity**

Based on available data, the classification criteria are not met.

### **12.2. Persistence and degradability**

Based on available data, the classification criteria are not met.

### **12.3. Bioaccumulative potential**

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Based on available data, the classification criteria are not met.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

#### 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

### SECTION 13: DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 – Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

#### EWC code


Not applicable.

#### Specific labelling



#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### SECTION 14: TRANSPORT INFORMATION

|     | 14.1<br>UN / ID | 14.2<br>UN proper shipping name   | 14.3<br>Hazard class(es)  | 14.4<br>PG* | 14.5<br>Env** | Other<br>informat<br>ion:   |
|-----|-----------------|---|---|-------------|---------------|---|
| ADR | UN3266          | CORROSIVE LIQUID, BASIC,<br>INORGANIC, N.O.S. (sodium<br>hypochlorite, solution ... % Cl<br>active) | Transport hazard class: 8<br>Label: 8<br>Classification code: C5<br> | III         | No            | Limited<br>quantitie<br>s: 5 L<br>Tunnel<br>restrictio<br>n code:<br>(E)<br>See<br>below for<br>additiona<br>l<br>informati |

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

|      | 14.1<br>UN / ID | 14.2<br>UN proper shipping name   | 14.3<br>Hazard class(es)  | 14.4<br>PG* | 14.5<br>Env** | Other<br>informat<br>ion:   |
|------|-----------------|---|---|-------------|---------------|---|
|      |                 |   |   |             |               | on.   |
| IMDG | UN3266          | CORROSIVE LIQUID, BASIC,<br>INORGANIC, N.O.S. (sodium<br>hypochlorite, solution ... % Cl<br>active) | Transport hazard class: 8<br>Label: 8<br>Classification code: C5<br>   | III         | No            | Limited<br>quantitie<br>s: 5 L<br>EmS: F-A<br>S-B<br>See<br>below for<br>additiona<br>l<br>informati<br>on. |
| IATA | UN3266          | CORROSIVE LIQUID, BASIC,<br>INORGANIC, N.O.S. (sodium<br>hypochlorite, solution ... % Cl<br>active) | Transport hazard class: 8<br>Label: 8<br>Classification code: C5<br> | III         | No            | See<br>below for<br>additiona<br>l<br>informati<br>on.  |

\* Packing group

\*\* Environmental hazards

### Additional information

This product is within scope of the regulations of transport of dangerous goods.  
 ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.  
 IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.  
 IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.  
 Hazchem Code: 2X

### 14.6. Special precautions for user

Not applicable.

### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

*Restrictions for application:*

Restricted to professional users.  
 People under the age of 18 shall not be exposed to this

|   |   |
|---|---|
|   | product.  |
| <i>Demands for specific education:</i>  | No specific requirements.   |
| <i>Control of Major Accident Hazards (COMAH) - Categories / dangerous substances:</i>                               | Not applicable.   |
| <i>Biocidal Products Regulations:</i>   | Product type: PT2 - Disinfectants and algacides not intended for direct application to humans or animals  |
| <i>Restrictions on use:</i>   | -   |
| <i>Directions for use and dose rate:</i>  | -   |
| <i>Additional information:</i>  | -   |
| <i>Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:</i> | < 5%<br>· Chlorine-based bleaching Agents   |
| <i>Additional information:</i>  | Not applicable.   |
| <i>Sources:</i>   | The Management of Health and Safety at Work Regulations 1999.<br>Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.<br>In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products as retained and amended in UK law.<br>Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.<br>Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.<br>Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law. |

## 15.2. Chemical safety assessment

No

## SECTION 16: OTHER INFORMATION

### Full text of H-phrases as mentioned in section 3

EUH031, Contact with acids liberates toxic gas.  
H290, May be corrosive to metals.  
H314, Causes severe skin burns and eye damage.  
H318, Causes serious eye damage.  
H400, Very toxic to aquatic life.

### The full text of identified uses as mentioned in section 1

PC 35 = Washing and Cleaning Products (including solvent based products)

### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CE = Conformité Européenne (European conformity)  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
CSA = Chemical Safety Assessment  
CSR = Chemical Safety Report  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EINECS = European Inventory of Existing Commercial chemical Substances  
ES = Exposure Scenario  
EUH statement = CLP-specific Hazard statement  
EuPCS = European Product Categorisation System  
EWC = European Waste Catalogue  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
GWP = Global warming potential  
IARC = International Agency for Research on Cancer (IARC)  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SCL = A specific concentration limit  
SVHC = Substances of Very High Concern  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

### **Additional information**

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

### **The safety data sheet is validated by**

Chemanglia t/a Biovate Hygienics

### **Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is

marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en