

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Carefree Speed Stripper

Revision: 2022-02-20

Version: 01.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Carefree Speed Stripper

UFI: PY1W-F0MM-600J-JK7H

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Floor stripper.

Uses advised against:

For professional use only. Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description : AISE_SWED_PW_8a_1

AISE_SWED_PW_8b_1 AISE_SWED_PW_4_2 AISE_SWED_PW_19_2

1.3 Details of the supplier of the safety data sheet Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1B (H314) Eye Dam. 1 (H318) Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains 2-aminoethanol (Ethanolamine), sodium hydroxide (Sodium Hydroxide)

Hazard statements:

H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Specific concentration limits

2-aminoethanol:

• STOT SE 3 (H335) >= 5%

sodium hydroxide:

• Eye Dam. 1 (H318) >= 3% > Eye Irrit. 2 (H319) >= 0.5% • Skin Corr. 1A (H314) >= 5% > Skin Corr. 1B (H314) >= 2% > Skin Irrit. 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1. ATE, if available, are listed in section 11. For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures General Information:	If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.
Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and effe	ects, both acute and delayed
Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes severe burns.
Eye contact: Ingestion:	Causes severe or permanent damage. Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure DNEL/DMEL oral exposure - Consumer (mg/kg bw)

DNEL/DMEL dermal exposure - Worker

DNEL/DMEL dermal exposure - Consumer

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Environmental exposure

Environmental exposure - PNEC

Environmental exposure - PNEC, continued

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling

Appropriate organisational controls:

with automatic systems. Use tools for manual handling of product. Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a
Manual transfer and dilution	AISE_SWED_PW_8b_1	PW	PROC 8b	60	ERC8b

Personal protective equipment

Personal protective equipment	
Eye / face protection:	Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.
Hand protection:	Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
	Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
	In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	No special requirements under normal use conditions. Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.
Environmental exposure controls:	Should not reach sewage water or drainage ditch undiluted or unneutralised.
Recommended safety measures for hand	dling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 25

Appropriate engineering controls:	No special requirements under normal use conditions.
Appropriate organisational controls:	Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to
	consider national Occupational Exposure Limits or other equivalent values, if available.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Manual application	AISE_SWED_PW_19_2	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_2	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection:	Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.
Hand protection:	Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min
	Material thickness: \geq 0.4 mm
	In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	No special requirements under normal use conditions. Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	No special requirements under normal use conditions.
Environmental exposure controls:	No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical state: Liquid Colour: Clear , Pale , from Colourless to Straw Odour: Product specific Odour threshold: Not applicable

Method / remark

Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Substance data, boiling point

 Flammability (solid, gas): Not applicable to liquids

 Flammability (liquid): Not flammable.

 Flash point (°C): > 60 °C

 Sustained combustion: The product does not sustain combustion (UN Manual of Tests and Criteria, section 32, L.2)

 Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Autoignition temperature: Not determined Decomposition temperature: Not applicable. pH: >= 11.5 (neat) Dilution pH: > 11 (25 %) Kinematic viscosity: Not determined Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Substance data, vapour pressure

Relative density: ≈ 1.04 (20 °C) Relative vapour density: No data available. Particle characteristics: No data available.

9.2 Other information9.2.1 Information with regard to physical hazard classesExplosive properties:Not explosive. Vapours may form explosive mixtures with air.Oxidising properties:Not oxidising.Corrosion to metals:Corrosive

9.2.2 Other safety characteristics No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Method / remark See substance data

Method / remark

Method / remark

ISO 4316 ISO 4316

Method / remark OECD 109 (EU A.3) Not relevant to classification of this product Not applicable to liquids.

UN Manual of Tests and Criteria, section 37

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000 ATE - Dermal (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Acute dermal toxicity

Acute inhalative toxicity

Acute inhalative toxicity, continued

Irritation and corrosivity Skin irritation and corrosivity

Eye irritation and corrosivity

Respiratory tract irritation and corrosivity

Sensitisation Sensitisation by skin contact

Sensitisation by inhalation

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Carcinogenicity

Toxicity for reproduction

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Sub-chronic dermal toxicity

Sub-chronic inhalation toxicity

Chronic toxicity

STOT-single exposure

STOT-repeated exposure

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Aquatic short-term toxicity - crustacea

Aquatic short-term toxicity - algae

Aquatic short-term toxicity - marine species

Impact on sewage plants - toxicity to bacteria

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Aquatic long-term toxicity - crustacea

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Bioconcentration factor (BCF)

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused products:

European Waste Catalogue:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation. 20 01 15* - alkalines.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR) 14.1 UN number: 1760 14.2 UN proper shipping name: Corrosive liquid, n.o.s. (sodium hydroxide, ethanolamine) 14.3 Transport hazard class(es): Transport hazard class (and subsidiary risks): 8 14.4 Packing group: III 14.5 Environmental hazards: Environmentally hazardous: No Marine pollutant: No 14.6 Special precautions for user: None known. 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers. Other relevant information: ADR Classification code: C9

Tunnel restriction code: E Hazard identification number: 80 IMO/IMDG EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations :

- Regulation (EC) 1907/2006 REACH (UK amended)
 Regulation (EC) 1272/2008 CLP (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- · Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

• International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product

features and does not establish a legally binding contract

SDS code: MS1004431

Version: 01.2

Revision: 2022-02-20

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 3, 8, 10, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H290 May be corrosive to metals.
 H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage. • H319 - Causes serious eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- · H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- · ERC Environmental release categories
- EUH CLP Specific hazard statement LC50 Lethal Concentration, 50% / Median Lethal Concentration
- · LCS Life cycle stage
- LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 PROC Process categories

- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet